

F. No. 3-1/ 2017-18-CFCC-E&S
GOVERNMENT OF INDIA
MINISTRY OF AGRICULTURE AND FARMERS WELFARE
DEPARTMENT OF AGRICULTURE, COOPERATION AND FARMERS WELFARE
(CROP FORECAST COORDINATION CENTRE)

Room No. 344-A, Krishi Bhawan, New Delhi
Dated: 14.11.2017

SUBJECT: MINUTES OF THE MEETING OF THE CROP WEATHER WATCH GROUP HELD ON 10.11.2017.

Summary observations of the Group on Agenda Items

- *In the Post-monsoon season, at All-India level, the rainfall during the week (02nd November, 2017 – 08th November, 2017) has been 45% lower than Long Period Average (LPA). Rainfall in the four broad geographical divisions of the country during the above period have been lower than LPA by 99% in North West India, Central India and East & North East India each and by 10% in South Peninsula.*
- *The cumulative rainfall in the country during the Post-monsoon season i.e. 01st October to 08th November, 2017 has been 4% lower than Long Period Average (LPA). Rainfall in the four broad geographical divisions of the country during the above period have been higher than LPA by 27% in East & North East India, 1% in Central India and equal to LPA in South Peninsula but lower than LPA by 98% in North West India.*
- *Out of 36 met sub-divisions, 10 met subdivisions constituting 25% of the total area of the country has received large excess/ excess rainfall, 10 met subdivisions constituting 23% of the total area of the country has received normal rainfall, 12 met sub-divisions constituting 39% of the total area of the country has received deficient/large deficient rainfall and 04 met sub-divisions constituting 13% of the total area of the country has received no rains.*
- *Central Water Commission monitors 91 major reservoirs in the country which have total live capacity of 157.80 Billion Cubic Meter (BCM) at Full Reservoir Level (FRL). Out of these, 76 reservoirs with FRL capacity of 116.25 BCM have irrigation potential. Live storage in the 91 major reservoirs as on 09th November, 2017 has been 105.98 BCM as against 110.40 BCM on 09.11.2016 (last year) and 110.79 BCM of normal (average of the last 10 years) storage. Current year's storage is 96% of last year's storage and the average of last 10 year's storage each.*
- *All-India progressive procurement of Rice as on 10.11.2017 for 2017-18 was 150.74 lakh tonnes against the procurement of 141.99 lakh tonnes in the corresponding period of last year. The procurement of wheat for the rabi marketing season (RMS) 2017-18 was 308.25 lakh tonnes against the procurement of 229.62 lakh tonnes in the corresponding period of RMS 2016-17.*

- *Brown Plant Hopper incidence was observed above Economic Threshold Level (ETL) in Rice at Bargarh ,Balangir Kalahandi, Korapur, Nuapada Rayagada, Dhenkanal, Gajapati, Ganjam, Jharsuguda, Sambalpur Sonapur, Boudh, Khurda, Angul, Balasore, Bhadrak district of Odisha and in Jagityal Mondal of Mahboobnagar district of Telangana.*
- *Pod borer incidence in redgram was observed above ETL in Maharashtra state in limited area.*
- *Army worm incidence was observed above Economic Threshold Level (ETL) in Ragi, Jowar & Maize crop at Chitradurga, Davengere, Haveri and Kolar districts of Karnataka.*
- *Rodents incidence in Rice was reported from Tengnoupal and Moreh block in Tengnoupal district of Manipur in medium intensity.*
- *Availability position of seeds and fertilizers has been found satisfactory.*
- *Imports of wheat, pulses, edible oil and sugar during the current year (April to Sep) have been higher as compared to its imports during the corresponding period of last year.*

1. **Post-monsoon Season (October – December) during the week ending 08th November, 2017**

➤ **Sub-Division wise Weekly Rainfall Forecast is shown in Table-1.1**

- **Rainfall during the week (02nd November, 2017 to 08th November, 2017)** Rainfall was large excess/excess in 01 subdivision, normal in 02, deficient/large deficient in 08 subdivisions and no rain in 25 subdivisions out of 36 meteorological sub-divisions. (Sub-division wise weekly rainfall distribution is given in **Annex I**).
- **Cumulative rainfall (01st October, 2017 to 08th November, 2017)** Rainfall was large excess/excess in 10, normal in 10, deficient/large deficient in 12 sub-divisions and no rain in 04 met subdivisions out of 36 meteorological sub-divisions. (The sub-division-wise seasonal rainfall distribution is given in **Annex II**).

Table - 1.2: Weekly and Cumulative Rainfall in four regions of the country¹

| Region | Week Ending (08.11.2017) | | | | Cumulative (01.10.17 to 08.11.17) | | | |
|-------------------------|--------------------------|--------|-----------------------|------|-----------------------------------|--------|-----------------------|---------------|
| | (in mm) | | Devi- ation (%) | Cat. | (in mm) | | Devi- ation (%) | Cate- gory |
| | Actual | Normal | | | Actual | Normal | | |
| North-West India | 0.0 | 3.0 | -99 | LD | 0.7 | 33.9 | -98 | LD |
| Central India | 0.0 | 4.2 | -99 | LD | 63.8 | 63.3 | 1 | N |
| South Peninsular India | 26.3 | 29.2 | -10 | N | 189.9 | 189.3 | 0 | N |
| East & North-East India | 0.0 | 8.8 | -99 | LD | 179.8 | 141.3 | 27 | E |
| Country as a whole | 5.2 | 9.4 | -45 | D | 87.7 | 91.6 | -4 | N |

LE: Large Excess, E: Excess, N: Normal, D: Deficient, LD: Large Deficient, NR: No Rain.
Source: India Meteorological Department, New Delhi

Table -1.3: Category wise comparative distribution of Sub-division (cumulative rainfall) and All-India Percentage Rainfall Departure for the last five years since: 1st Oct. to 08th Nov., 2017

| No. of Sub-Divisions with rainfall | For the period from 1 st October to | | | | | |
|---------------------------------------|--|----------------|----------------|----------------|----------------|----------------|
| | 07 NOV 2012 | 06 NOV 2013 | 05 NOV 2014 | 11 NOV 2015 | 09 NOV 2016 | 08 NOV 2017 |
| Large Excess | - | - | - | - | - | 02 |
| Excess | 04 | 21 | 04 | 03 | 06 | 08 |
| Normal | 13 | 05 | 06 | 07 | 10 | 10 |
| Total | 17 | 26 | 10 | 10 | 16 | 20 |
| Deficient | 07 | 10 | 10 | 08 | 07 | 05 |
| Large Deficient | - | - | - | - | - | 07 |
| Scanty | 12 | 00 | 15 | 18 | 13 | - |
| No rain | 00 | 00 | 01 | 00 | 00 | 04 |
| Total | 19 | 10 | 26 | 26 | 20 | 16 |
| Data Inadequate | 00 | 00 | 00 | 00 | 00 | 00 |
| TOTAL | 36 | 36 | 36 | 36 | 36 | 36 |
| All-India % Rainfall Deviation | (-) 8% | 49% | (-) 30% | (-) 35% | (-) 35% | (-)4% |

Source: IMD

- Sub-division-wise 5 days rainfall forecast from 10th Nov. to 14th Nov., 2017 is shown in Table 1.4

1. North-west India - Uttar Pradesh, Rajasthan, Haryana, Chandigarh and Delhi, Punjab, Uttarakhand, Himachal Pradesh, and Jammu and Kashmir.
Central India - Madhya Pradesh, Chhattisgarh, Maharashtra and Gujarat

South Peninsula - Andhra Pradesh & Telangana, Karnataka, Tamil Nadu & Puducherry, Kerala and Lakshadweep.

East & North East India - Bihar, Jharkhand, Odisha, West Bengal, Sikkim, Assam, Arunachal Pradesh, Meghalaya, Nagaland, Manipur, Mizoram, Tripura, and Andaman and Nicobar Islands.

Table: 1.1

| METEOROLOGICAL SUB-DIVISIONWISE DISTRIBUTION OF REALISED RAINFALL-2017 | | | | | | | | |
|--|-------------------------------------|---------------|---|---------------|------------------------------|---------------|---------------|---------------|
| S.No. | MET.SUB-DIVISIONS | 02 NOV | 03 NOV | 04 NOV | 05 NOV | 06 NOV | 07 NOV | 08 NOV |
| 1 | ANDAMAN & NICO.ISLANDS | ISOL | SCT | FWS | DRY | SCT | FWS | FWS |
| 2 | ARUNACHAL PRADESH | DRY | DRY | DRY | DRY | DRY | DRY | DRY |
| 3 | ASSAM & MEGHALAYA | DRY | DRY | DRY | DRY | DRY | DRY | DRY |
| 4 | NAGA.MANI.MIZO.& TRIPURA | DRY | DRY | DRY | ISOL | DRY | DRY | DRY |
| 5 | SUB-HIM.W. BENG. & SIKKIM | DRY | DRY | DRY | DRY | DRY | DRY | DRY |
| 6 | GANGETIC WEST BENGAL | DRY | DRY | DRY | DRY | DRY | DRY | DRY |
| 7 | ODISHA | DRY | DRY | DRY | ISOL | DRY | DRY | DRY |
| 8 | JHARKHAND | DRY | DRY | DRY | DRY | DRY | DRY | DRY |
| 9 | BIHAR | DRY | DRY | DRY | DRY | DRY | DRY | DRY |
| 10 | EAST UTTAR PRADESH | DRY | DRY | DRY | DRY | DRY | DRY | DRY |
| 11 | WEST UTTAR PRADESH | DRY | DRY | DRY | DRY | DRY | DRY | DRY |
| 12 | UTTARAKHAND | DRY | DRY | DRY | DRY | DRY | DRY | DRY |
| 13 | HARYANA CHD. & DELHI | DRY | DRY | DRY | DRY | DRY | DRY | DRY |
| 14 | PUNJAB | DRY | DRY | DRY | DRY | DRY | DRY | DRY |
| 15 | HIMACHAL PRADESH | DRY | DRY | DRY | DRY | ISOL | DRY | DRY |
| 16 | JAMMU & KASHMIR | DRY | DRY | DRY | DRY | DRY | DRY | DRY |
| 17 | WEST RAJASTHAN | DRY | DRY | DRY | DRY | DRY | DRY | DRY |
| 18 | EAST RAJASTHAN | DRY | DRY | DRY | DRY | DRY | DRY | DRY |
| 19 | WEST MADHYA PRADESH | DRY | DRY | DRY | DRY | DRY | DRY | DRY |
| 20 | EAST MADHYA PRADESH | DRY | DRY | DRY | DRY | DRY | DRY | DRY |
| 21 | GUJARAT REGION D.D. & N.H. | DRY | DRY | DRY | DRY | DRY | DRY | DRY |
| 22 | SAURASTRA KUTCH & DIU | DRY | DRY | DRY | DRY | DRY | DRY | DRY |
| 23 | KONKAN & GOA | DRY | DRY | DRY | DRY | DRY | DRY | DRY |
| 24 | MADHYA MAHARASHTRA | DRY | DRY | DRY | DRY | DRY | DRY | DRY |
| 25 | MARATHAWADA | DRY | DRY | DRY | DRY | DRY | DRY | DRY |
| 26 | VIDARBHA | DRY | DRY | DRY | DRY | DRY | DRY | DRY |
| 27 | CHHATTISGARH | DRY | DRY | DRY | DRY | DRY | DRY | DRY |
| 28 | COASTAL ANDHRA PRADESH | ISOL | ISOL | ISOL | ISOL | ISOL | ISOL | ISOL |
| 29 | TELANGANA | DRY | DRY | DRY | DRY | DRY | DRY | DRY |
| 30 | RAYALASEEMA | ISOL | ISOL | ISOL | SCT | FWS | SCT | SCT |
| 31 | TAMILNADU & PUDUCHERRY | SCT | FWS* | SCT | WS* | WS* | FWS | FWS |
| 32 | COASTAL KARNATAKA | DRY | DRY | DRY | DRY | SCT | SCT | SCT |
| 33 | NORTH INT.KARNATAKA | DRY | DRY | DRY | DRY | DRY | DRY | DRY |
| 34 | SOUTH INT.KARNATAKA | ISOL | ISOL | ISOL | SCT | FWS | FWS* | SCT |
| 35 | KERALA | FWS | FWS | ISOL | FWS* | FWS | WS* | FWS |
| 36 | LAKSHADWEEP | DRY | SCT | SCT | DRY | WS | FWS | WS |
| LEGENDS: | | | | | | | | |
| WS | WIDE SPREAD / MOST PLACES (76-100%) | FWS | FAIRLY WIDE SPREAD / MANY PLACES (51% to 75%) | | | | | |
| SCT | SCATTERED / FEW PLACES (26% to 50%) | ISOL | ISOLATED (up to 25%) | DRY | NO STATION REPORTED RAINFALL | | | |
| * ACTIVE (R/F 1 ¹ / ₂ - 4 times the normal with WS/FWS, at least 2 stations should be 5 cm. along west coast & 3 cm. elsewhere) | | | | | | | | |
| ** VIGOROUS (R/F More than 4 times the normal with WS/FWS, at least 2 stations should be 8 cm. along west coast & 5 cm. elsewhere) | | | | | | | | |

Table: 1.4

| Met-Sub-Division | 10-Nov Today | 11Nov Sat | 12Nov Sun | 13Nov Mon | 14Nov Tue |
|------------------------------|-----------------|--------------|--------------|--------------|--------------|
| 1. Andaman & Nicobar Islands | FWS | SCT | FWS | WS | WS |
| 2. Arunachal Pradesh | DRY | DRY | DRY | DRY | DRY |
| 3. Assam & Meghalaya | DRY | DRY | DRY | DRY | DRY |
| 4. N. M. M. & T. | DRY | DRY | DRY | DRY | DRY |
| 5. S.H. West Bengal & Sikkim | DRY | DRY | DRY | DRY | DRY |
| 6. Gangetic West Bengal | DRY | DRY | DRY | DRY | DRY |
| 7. Odisha | DRY | DRY | DRY | DRY | DRY |
| 8. Jharkhand | DRY | DRY | DRY | DRY | DRY |
| 9. Bihar | DRY | DRY | DRY | DRY | DRY |
| 10. East Uttar Pradesh | DRY | DRY | DRY | DRY | DRY |
| 11. West Uttar Pradesh | DRY | DRY | DRY | DRY | DRY |
| 12. Uttarakhand | DRY | DRY | DRY | DRY | DRY |
| 13. Haryana, Chd & Delhi | DRY | DRY | DRY | DRY | DRY |
| 14. Punjab | DRY | DRY | DRY | DRY | DRY |
| 15. Himachal Pradesh | DRY | DRY | DRY | ISOL | ISOL |
| 16. Jammu & Kashmir | DRY | DRY | ISOL | ISOL | ISOL |
| 17. West Rajsthan | DRY | DRY | DRY | DRY | DRY |
| 18. East Rajasthan | DRY | DRY | DRY | DRY | DRY |
| 19. West Madhya Pradesh | DRY | DRY | DRY | DRY | DRY |
| 20. East Madhya Pradesh | DRY | DRY | DRY | DRY | DRY |
| 21. Gujarat Region | DRY | DRY | DRY | DRY | DRY |
| 22. Saurashtra & Kutch | DRY | DRY | DRY | DRY | DRY |
| 23. Konkan & Goa | DRY | DRY | DRY | DRY | DRY |
| 24. Madhya Maharashtra | DRY | DRY | DRY | DRY | DRY |
| 25. Marathawada | DRY | DRY | DRY | DRY | DRY |
| 26. Vidharbha | DRY | DRY | DRY | DRY | DRY |
| 27. Chhattisgarh | DRY | DRY | DRY | DRY | DRY |
| 28. Coastal Andhra Pradesh | DRY | DRY | ISOL | ISOL | ISOL |
| 29. Telangana | DRY | DRY | DRY | DRY | DRY |
| 30. Rayalaseema | DRY | DRY | DRY | ISOL | ISOL |
| 31. Tamilnadu & Puducherry | ISOL | ISOL | ISOL | SCT | SCT |
| 32. Coastal Karnataka | DRY | DRY | DRY | ISOL | ISOL |
| 33. North Interior Karnataka | DRY | DRY | DRY | DRY | DRY |
| 34. South Interior Karnataka | DRY | ISOL | ISOL | ISOL | ISOL |
| 35. Kerala | SCT | ISOL | ISOL | SCT | SCT |
| 36. Lakshadweep | SCT | ISOL | ISOL | ISOL | ISOL |

% Station Reporting Rainfall

| % Stations | Category | % Stations | Category |
|------------|--------------------------------------|------------|-------------------------------|
| 76-100 | Widespread (WS/ Most Places) | 26-50 | Scattered (SCT/ A Few Places) |
| 51-75 | Fairly Widespread (FWS/ Many Places) | 1-25 | Isolated (ISOL) |
| No Rain | Dry | | |


2. Reservoir Status (For the week ending on 09.11.2017)

- **The Central Water Commission** monitors the live storage of **91** important/major reservoirs, having capacity at Full Reservoir Level (FRL) of **157.80** billion cubic meters (BCM), which is about 62% of total reservoir capacity in the country.
- Water stock in 91 major reservoirs decreased to 105.98 BCM from the previous week's level of 108.37 BCM. Current storage is lower than the last year's position of 110.40 BCM and the average of last 10 year's storage of 110.79 BCM.

Table – 2.1 : For 91 major reservoirs of the country

| Period | Storage as % of FRL | Storage as % of last year | Storage as % of 10 year's average level |
|---|---------------------|---------------------------|---|
| Current Week | 67 | 96 | 96 |
| Last Week | 69 | 96 | 96 |
| The percentage to live capacity at FRL was 70% on 09/11/2016, 54% on 09/11/2015, 72% on 09/11/2014 and 87% on 09/11/2013. | | | |
| <i>Source: CWC</i> | | | |

There were 70 reservoirs having storage more than 80% of normal storage, 14 reservoirs having storage between 50% to 80%, 04 reservoir having storage between 30% to 50%, 03 reservoirs having storage upto 30% of Normal Storage.



Source: Central Water Commission

* The State wise details (reservoir position) are given in the **Annex III**.

3. Fertilizer Position:

Table – 3.1: Requirement, Availability, Sales and Stock position of Major Fertilizers Urea, DAP, MOP, Complex and SSP during Rabi 2017 (As on 09.11.2017)

(in '000 Tonnes)

| Availability / Sale / Closing Stock | Urea | DAP | MOP | Complex | SSP |
|-------------------------------------|-------|------|------|---------|------|
| Opening Stock as on 01.10.2017 | 1080 | 967 | 214 | 966 | 242 |
| Requirement for Rabi, 2017 | 15430 | 5083 | 1670 | 5046 | 2948 |
| Requirement upto November, 2017 | 3209 | 1397 | 379 | 978 | 625 |
| Availability upto 09.11.2017 | 3965 | 2498 | 552 | 2014 | 769 |
| Sales upto 09.11.2017 | 2289 | 1488 | 289 | 793 | 465 |
| Closing Stock upto 09.11.2017 | 1676 | 1011 | 263 | 1221 | 304 |

Source: Fertilizer Division (DAC&FW) / Deptt. of Fertilizer

4. Pest & Diseases:

- No shortage of Chemical / Bio-pesticides was reported from any State / UT.

5: All India Crop Situation

Table: 5.1

| All India Crop Situation - Rabi (2017-18) as on 10-11-2017 | | | | | | | | (Area in lakh hectares) | |
|--|---------------|-------------------------|---------------|-------------|---------------|----------------------------|-------------|-------------------------|-------------|
| Crop Name | Normal Area | Average Area as on date | Area sown | | | Absolute Change over (+/-) | | % Change over | |
| | | | This Year | % of Normal | Last Year | Average as on date | Last Year | Average as on date | Last Year |
| Wheat | 304.43 | 34.94 | 27.39 | 9.0 | 25.72 | -7.6 | 1.7 | -21.6 | 6.5 |
| Rice | 41.07 | 5.84 | 7.73 | 18.8 | 5.22 | 1.9 | 2.5 | 32.4 | 48.1 |
| Jowar | 37.52 | 24.19 | 19.44 | 51.8 | 15.96 | -4.8 | 3.5 | -19.6 | 21.8 |
| Maize | 15.73 | 2.81 | 2.44 | 15.5 | 2.36 | -0.4 | 0.1 | -13.2 | 3.4 |
| Barley | 6.62 | 1.13 | 0.97 | 14.7 | 0.76 | -0.2 | 0.2 | -14.2 | 27.6 |
| Total Coarse Cereals | 59.87 | 28.50 | 23.41 | 39.1 | 19.17 | -5.1 | 4.2 | -17.9 | 22.1 |
| Total Cereals | 405.37 | 69.28 | 58.53 | 14.4 | 50.11 | -10.8 | 8.4 | -15.5 | 16.8 |
| Gram | 86.80 | 23.36 | 47.20 | 54.4 | 32.93 | 23.8 | 14.3 | 102.1 | 43.3 |
| Lentil | 14.14 | 3.38 | 6.82 | 48.2 | 3.91 | 3.4 | 2.9 | 101.8 | 74.6 |
| Peas | 8.72 | 3.85 | 3.76 | 43.1 | 3.25 | -0.1 | 0.5 | -2.4 | 15.8 |
| Kulthi(Horse Gram) | 2.20 | 1.99 | 2.25 | 102.5 | 1.64 | 0.3 | 0.6 | 13.2 | 37.4 |
| Urad | 7.85 | 1.34 | 1.17 | 14.9 | 1.06 | -0.2 | 0.1 | -12.6 | 10.9 |
| Moong | 9.26 | 0.34 | 0.24 | 2.6 | 0.22 | -0.1 | 0.0 | -27.8 | 13.0 |
| Lathyrus | 4.70 | 0.95 | 0.97 | 20.7 | 1.49 | 0.0 | -0.5 | 1.9 | -34.7 |
| Others | 3.55 | 1.29 | 1.37 | 38.7 | 1.00 | 0.1 | 0.4 | 6.3 | 37.9 |
| Total Pulses | 137.22 | 36.50 | 63.79 | 46.5 | 45.48 | 27.3 | 18.3 | 74.8 | 40.3 |
| Total Foodgrains | 542.59 | 105.79 | 122.32 | 22.5 | 95.59 | 16.5 | 26.7 | 15.6 | 28.0 |
| Rapeseed & Mustard | 60.89 | 39.15 | 37.05 | 60.8 | 38.41 | -2.1 | -1.4 | -5.4 | -3.5 |
| Groundnut | 8.22 | 1.66 | 1.67 | 20.4 | 1.79 | 0.0 | -0.1 | 0.5 | -6.5 |
| Safflower | 1.83 | 0.59 | 0.33 | 18.1 | 0.26 | -0.3 | 0.1 | -44.1 | 27.8 |
| Sunflower | 4.33 | 1.83 | 0.76 | 17.5 | 0.86 | -1.1 | -0.1 | -58.7 | -12.2 |
| Sesamum | 5.13 | 0.11 | 0.11 | 2.2 | 0.06 | 0.0 | 0.1 | 5.9 | 90.7 |
| Linseed | 2.92 | 0.97 | 0.92 | 31.4 | 0.70 | -0.1 | 0.2 | -5.7 | 30.5 |
| Total Oilseeds (Nine) | 83.32 | 44.42 | 40.94 | 49.1 | 42.14 | -3.5 | -1.2 | -7.8 | -2.8 |
| All- Crops | 625.91 | 150.20 | 163.25 | 26.1 | 137.72 | 13.1 | 25.5 | 8.7 | 18.5 |

Source: Crops & TMOP Divisions, DAC&FW

6. Progressive procurement of Rice as on 10.11.2017 (lakh tonnes)

Table: 6.1

| State | Target (only kharif crop) in marketing season 2016-17 (Oct. – Sept.) | Progressive Procurement as on 10.11.2017 | |
|----------------|--|--|-------------------------------|
| | | In Marketing season 2017-2018 | In Marketing season 2016-2017 |
| Andhra Pradesh | 25.00 | | |
| Telangana | 15.00 | 2.30 | 1.24 |
| Bihar | 12.00 | | |
| Chhattisgarh | 48.00 | | |
| Haryana | 30.00 | 38.91 | 35.11 |
| Kerala | 1.00 | 0.35 | 0.50 |
| Madhya Pradesh | 13.00 | | |
| Maharashtra | 4.00 | 0.03 | |
| Odisha | 30.00 | | |
| Punjab | 115.00 | 106.56 | 103.71 |
| Tamil Nadu | 10.00 | - | 0.08 |
| Uttar Pradesh | 37.00 | 2.26 | 0.78 |
| Uttrakhand | 7.00 | 0.16 | 0.43 |
| West Bengal | 23.00 | | |
| All-India | 375.00 | 150.74 | 141.99 |

7. Progressive procurement of Wheat as on 10.11.2017 (lakh tonnes)

Table: 7.1

| State | Target in marketing season 2017-18 (April – March) | Progressive Procurement as on 10.11.2017 | |
|----------------|--|--|-------------------------------|
| | | In Marketing season 2017-2018 | In Marketing season 2016-2017 |
| Haryana | 75.00 | 74.32 | 67.52 |
| Madhya Pradesh | 85.00 | 67.25 | 39.92 |
| Punjab | 115.00 | 117.06 | 106.49 |
| Rajasthan | 17.50 | 12.45 | 7.62 |
| Uttar Pradesh | 30.00 | 36.99 | 7.97 |
| All-India | 330.00 | 308.25 | 229.62 |