

F. No. 3-1/ 2016-17-CFCC-E&S
GOVERNMENT OF INDIA
MINISTRY OF AGRICULTURE AND FARMERS WELFARE
DEPARTMENT OF AGRICULTURE, COOPERATION AND FARMERS WELFARE
(CROP FORECAST COORDINATION CENTRE)

Room No. 344-A, Krishi Bhawan, New Delhi
Dated: 31.01.2017

**SUBJECT: MINUTES OF THE MEETING OF THE CROP WEATHER WATCH GROUP HELD ON
27.01.2017.**

Summary observations of the Group on Agenda Items

- Details of the mean maximum and minimum temperature during the week 19th January, 2017 to 25th January, 2017 were as under:-

Maximum Temperature

- *Above normal by 4 to 6⁰C over some parts of Arunachal Pradesh and isolated pockets of Himachal Pradesh and Assam and by 2 to 4⁰C over Sikkim, Jharkhand, Meghalaya, Nagaland, Manipur, many parts of Himachal Pradesh, Bihar, Sub Himalayan West Bengal, Arunachal Pradesh, Assam, Lakshadweep, some parts of Uttarakhand, Uttar Pradesh, Saurashtra & Kutch, Vidarbha, East Madhya Pradesh, Chhattisgarh, Gangetic West Bengal, Odisha, Mizoram and isolated pockets of Haryana & Delhi, Gujarat Region, West Madhya Pradesh, Madhya Maharashtra, Marathwada, Coastal Karnataka and Kerala.*
- *Normal to near normal over rest of the country.*

Minimum Temperature

- *Above normal by 2 to 4⁰C over many parts of Himachal Pradesh, Rajasthan, Gujarat, West Madhya Pradesh, Andaman & Nicobar Islands, some parts of Jammu & Kashmir, West Uttar Pradesh, East Madhya Pradesh, Madhya Maharashtra and isolated pockets of Haryana, East Uttar Pradesh, Bihar, Jharkhand, Chhattisgarh and Tamil Nadu.*
- *Normal to near normal over rest of the country except some parts of Telangana, Odisha and isolated pockets of North Interior Karnataka and Coastal Andhra Pradesh, where it was below normal by 2 to 4⁰C.*
- *In the winter season, at All-India level, the rainfall during the week (19th January, 2017 - 25th January, 2017) has been 13% lower than the Long Period Average (LPA). Rainfall in the four broad geographical divisions of the country during the above period has been higher than LPA by 329% in South Peninsula and 7% in North West India and lower by equal to LPA in East & North East India, 99% in Central India.*

- *The cumulative rainfall in the country during the winter season i.e. 01st January to 25th January, 2017 has been 3% lower than the Long Period Average (LPA). Rainfall in the four broad geographical divisions of the country during the above period has been higher than LPA by 49% in North West India and lower by 86% in Central India, 85% in East & North East India and 15% in South Peninsula.*
- *Out of 36 met sub-divisions, 03 met subdivisions constituting 09% of the total area of the country has received large excess/excess rainfall, 04 met sub-divisions constituting 07% of the total area of the country has received normal rainfall, 04 met sub-divisions constituting 10% of the total area of the country has received deficient, 16 met sub-divisions constituting 54% of the total area of the country has received large deficient rainfall and 09 met subdivisions constituting 20% of the total area of the country has received No Rain.*
- *Central Water Commission monitors 91 major reservoirs in the country which have total live capacity of 157.80 Billion Cubic Meter (BCM) at Full Reservoir Level (FRL). Out of these, 76 reservoirs with FRL capacity of 116.25 BCM have irrigation potential. Live storage in the 91 major reservoirs as on 25th January, 2017 has been 80.60 BCM as against 63.47 BCM on 25.01.2016 (last year) and 80.71 BCM of normal (average of the last 10 years) storage. Current year's storage is 127% of last year's storage and 100% of the average of last 10 year's storage.*
- *As per latest information available on sowing of crops, total area sown under Rabi crops in the country as on 27.01.2017 has been reported to be 637.34 lakh hectares as compared to 600.02 lakh hectares in the corresponding period of last year. This year's area coverage so far is higher by 37.3 lakh ha. than the last year and 21.2 lakh ha. than normal area coverage during the same period.*
- *Area coverage under Wheat is higher by 23.0 lakh ha. than the last year and 14.0 lakh ha. than normal as on date.*
- *Area coverage under Rabi Pulses is higher by 16.2 lakh ha. than the last year and by 12.5 lakh ha. than normal as on date. This is due to higher coverage in Gram, Lentil and Pea.*
- *Area coverage under total Rabi Oilseeds is higher by 5.3 lakh ha. than the last year. This is due to higher coverage in Rapeseed & Mustard.*
- *Area coverage under total Rabi Coarse Cereals is lower by 3.3 lakh ha. than the last year and by 1.8 lakh ha. than normal as on date. This is due to lower coverage in Jowar.*
- *All-India progressive procurement of Rice as on 27.01.2017 for the Kharif marketing season 2016-17 was 265.74 lakh tonnes against the procurement of 235.21 lakh tonnes in the corresponding period of last year.*
- *Availability position of seeds and fertilizers has been found satisfactory.*

1. Winter Season (January–February) during the week ending on 25th January, 2017

➤ **Sub-division-wise weekly rainfall & minimum temperature is shown in Table-1.1**

- **Rainfall during the week (19th Jan., 2017 to 25th Jan., 2017)** Rainfall was large excess/excess in 04 subdivision, normal in 01, deficient/large deficient in 06 and no rain in 25 subdivisions out of 36 meteorological sub-divisions.
- **Cumulative rainfall (01st Jan., 2017 to 25th Jan., 2017)** Rainfall was large excess/excess in 03, normal in 04, deficient/large deficient in 20 and no rain in 09 out of 36 meteorological sub-divisions.

Table - 1.2: Weekly and Cumulative Rainfall in four regions of the country¹

Region	Week Ending (25.01.2017)				Cumulative (01.01.17 to 25.01.17)			
	(in mm)		Devi- ation (%)	Cat.	(in mm)		Devi- ation (%)	Cate- gory
	Actual	Normal			Actual	Normal		
North-West India	8.5	8.0	7	N	39.6	26.6	49	E
Central India	0.0	1.6	-99	LD	0.9	6.4	-86	LD
South Peninsular India	3.9	0.9	329	LE	6.0	7.0	-15	N
East & North-East India	0.0	4.5	-100	NR	2.4	15.4	-85	LD
Country as a whole	3.4	3.9	-13	N	14.0	14.4	-3	N

LE: Large Excess, E: Excess, N: Normal, D: Deficient, LD: Large Deficient, NR: No Rain.

Source: India Meteorological Department, New Delhi

Table - 1.3: Category wise comparative distribution of Sub-division (cumulative rainfall) and All-India Percentage Rainfall Departure for the last five years since: 1st January to

No. of Sub-Divisions with rainfall	For the period from 1 st January to					
	25 JAN 2012	23 JAN 2013	22 JAN 2014	28 JAN 2015	27 JAN 2016	25 JAN 2017
Large Excess	-	-	-	-	-	02
Excess	16	12	08	19	04	01
Normal	06	01	06	06	08	04
Total	22	13	14	25	12	07
Deficient	03	01	06	06	03	04
Large Deficient	-	-	-	-	-	16
Scanty	07	08	13	05	16	-
No rain	04	14	03	00	05	09
Total	14	23	22	11	24	29
Data Inadequate	00	00	00	00	00	00
TOTAL	36	36	36	36	36	36
All-India % Rainfall Deviation	77%	(-) 16%	14%	(-) 6%	(-) 60%	(-) 3%

Source: IMD

➤ Sub-division-wise 5 days rainfall forecast from 30th Jan., 2017 to 03rd Feb.,2017 is shown in Table 1.4

1. North-west India - Uttar Pradesh, Rajasthan, Haryana, Chandigarh and Delhi, Punjab, Uttaranchal, Himachal Pradesh, and Jammu and Kashmir.
Central India - Madhya Pradesh, Chhattisgarh, Maharashtra and Gujarat

South Peninsula - Andhra Pradesh, Karnataka, Tamil Nadu & Pondicherry, Kerala and Lakshadweep.

East & North East India - Bihar, Jharkhand, Orissa, West Bengal, Sikkim, Assam, Arunachal Pradesh, Meghalaya, Nagaland, Manipur, Mizoram, Tripura, and Andaman and Nicobar Islands.

Table: 1.1

METEOROLOGICAL SUB-DIVISIONWISE DAILY DISTRIBUTION OF MINIMUM TEMPERATURE & RAINFALL -2017															
S.No.	SUB-DIVISIONS	MINIMUM TEMPERATURE							RAINFALL						
		19 JAN	20 JAN	21 JAN	22 JAN	23 JAN	24 JAN	25 JAN	19 JAN	20 JAN	21 JAN	22 JAN	23 JAN	24 JAN	25 JAN
1	ANDAMAN & NICOBAR ISLANDS	AN	N	N	MAN	AAN	N	AN	FWS	FWS	ISOL	ISOL	SCT	SCT	SCT
2	ARUNACHAL PRADESH	N	N	N	N	N	N	N	DRY	DRY	DRY	DRY	DRY	DRY	DRY
3	ASSAM & MEGHALAYA	N	N	N	N	N	N	N	DRY	DRY	DRY	DRY	DRY	DRY	DRY
4	NAGA.MANI.MIZO.TRIPURA	N	N	N	N	N	N	N	DRY	DRY	DRY	DRY	DRY	DRY	DRY
5	SUB-HIMA.WEST BEN. & SIKKIM	N	N	N	N	N	N	N	DRY	DRY	DRY	DRY	DRY	DRY	DRY
6	GANGETIC WEST BENGAL	N	N	N	N	N	N	N	DRY	DRY	DRY	DRY	DRY	DRY	DRY
7	ODISHA	N	N	N	N	N	N	N	DRY	DRY	DRY	DRY	DRY	DRY	DRY
8	JHARKHAND	N	N	N	N	N	N	N	DRY	DRY	DRY	DRY	DRY	DRY	DRY
9	BIHAR	N	N	N	N	N	N	N	DRY	DRY	DRY	DRY	DRY	DRY	DRY
10	EAST UTTAR PRADESH	BN	N	N	N	N	N	N	DRY	DRY	DRY	DRY	DRY	DRY	DRY
11	WEST UTTAR PRADESH	N	N	N	N	N	N	N	DRY	DRY	DRY	DRY	DRY	DRY	DRY
12	UTTARAKHAND	N	N	N	AN	AN	N	AAN	DRY	DRY	DRY	ISOL	DRY	DRY	DRY
13	HARYANA CHAND. & DELHI	N	N	N	AN	N	AN	MAN	DRY	DRY	DRY	ISOL	DRY	DRY	ISOL
14	PUNJAB	N	N	N	N	N	N	MAN	DRY	DRY	DRY	ISOL	DRY	DRY	ISOL
15	HIMACHAL PRADESH	N	N	AN	AN	AN	N	N	ISOL	DRY	DRY	ISOL	ISOL	ISOL	ISOL
16	JAMMU & KASHMIR	N	N	N	AN	N	N	N	SCT	DRY	DRY	ISOL	ISOL	SCT	WS
17	WEST RAJASTHAN	N	N	N	N	N	N	N	DRY	DRY	DRY	ISOL	DRY	DRY	DRY
18	EAST RAJASTHAN	N	AAN	N	N	AAN	N	MAN	DRY	DRY	DRY	DRY	DRY	DRY	DRY
19	WEST MADHYA PRADESH	AN	N	N	AAN	AAN	N	MAN	DRY	ISOL	DRY	DRY	DRY	DRY	DRY
20	EAST MADHYA PRADESH	AN	N	N	N	N	AN	AAN	DRY	DRY	DRY	DRY	DRY	DRY	DRY
21	GUJARAT REGION D.D. & N.H.	N	N	N	N	N	N	MAN	DRY	DRY	DRY	DRY	DRY	DRY	DRY
22	SAURASTRA KUTCH & DIU	N	N	N	N	N	N	N	DRY	DRY	DRY	DRY	DRY	DRY	DRY
23	KONKAN & GOA	N	N	N	AN	AN	AN	N	DRY	DRY	DRY	DRY	DRY	DRY	DRY
24	MADHYA MAHARASHTRA	N	N	N	N	AN	AN	N	DRY	DRY	DRY	DRY	DRY	DRY	DRY
25	MARATHAWADA	N	N	N	N	AN	N	N	DRY	DRY	DRY	DRY	DRY	DRY	DRY
26	VIDARBHA	N	N	N	N	AN	N	N	DRY	DRY	DRY	DRY	DRY	DRY	DRY
27	CHHATTISGARH	BN	N	N	N	N	N	N	DRY	DRY	DRY	DRY	DRY	DRY	DRY
28	COASTAL ANDHRA PRADESH	N	N	N	N	N	N	N	DRY	DRY	DRY	DRY	DRY	DRY	DRY
29	TELANGANA	N	BN	N	N	N	N	N	DRY	DRY	DRY	DRY	DRY	DRY	DRY
30	RAYALASEEMA	N	N	N	N	N	N	N	DRY	DRY	DRY	DRY	DRY	DRY	DRY
31	TAMILNADU & PUDUCHERRY	N	AAN	N	AN	N	N	N	DRY	DRY	SCT	FWS	ISOL	DRY	ISOL
32	COASTAL KARNATAKA	N	N	N	AN	N	N	AN	DRY	DRY	DRY	DRY	DRY	DRY	DRY
33	NORTH INTERIOR KARNATAKA	N	N	N	N	N	N	N	DRY	DRY	DRY	DRY	DRY	DRY	DRY
34	SOUTH INTERIOR KARNATAKA	N	N	N	N	N	N	N	DRY	DRY	DRY	DRY	DRY	DRY	DRY
35	KERALA	N	N	N	AN	N	N	N	DRY	DRY	ISOL	ISOL	ISOL	DRY	DRY
36	LAKSHADWEEP	N	N	N	N	N	N	N	DRY	DRY	DRY	ISOL	ISOL	DRY	DRY
LEGENDS FOR RAINFALL:															
WDS	WIDE SPREAD / MOST PLACES (76-100%)	FWS	FAIRLY WIDE SPREAD / MANY PLACES (51-75%)					SCT	SCATTERED / FEW PLACES (26-50%)			ISOL	ISOLATED (UP TO 25 %)		
DRY	NO STATION REPORTED RAINFALL	RAINFALL ACTIVITY		*	ACTIVE (R.F 1 st - 4 times the normal)			**	VIGOROUS (R.F More than 4 times)						
(ACTIVE R.F 1 st - 4 times; the normal & WS/FWS, at least 2 stations; should be 5 cm. along west coast & 3 cm. elsewhere)							(VIGOROUS R.F More than 4 times; the normal & WS/FWS, at least 2 stations; should be 8 cm. along west coast & 5 cm. elsewhere)								
LEGENDS FOR TEMPERATURE:															
N	NORMAL (N±1,N-1) ^o C	BN	BELOW NORMAL (N-2) ^o C				ABN	APRECIABLY BELOW NORMAL (N-3, -4) ^o C			MBN	MARKEDLY BELOW NORMAL (N-5 AND BELOW) ^o C			
AN	ABOVE NORMAL (N+2) ^o C	AAN	APRECIABLY ABOVE NORMAL (N+3,+4) ^o C				MAN	MARKEDLY ABOVE NORMAL (N+5 AND ABOVE) ^o C							
*	Cold wave conditions (Departure from Normal is (-4 ^o C to -5 ^o C and -5 ^o C to -6 ^o C)					**	Severe Cold wave conditions (Departure from Normal is (-6 ^o C or less and -7 ^o C or less)								

Table: 1.4

Met-Sub-Division	30-Jan Today	31Jan Tue	01Feb Wed	02Feb Thu	03Feb Fri
1. Andaman & Nicobar Islands	DRY	DRY	DRY	DRY	DRY
2. Arunachal Pradesh	DRY	DRY	ISOL	ISOL	ISOL
3. Assam & Meghalaya	DRY	DRY	ISOL	ISOL	ISOL
4. N. M. M. & T.	DRY	DRY	DRY	DRY	DRY
5. S.H. West Bengal & Sikkim	DRY	ISOL	DRY	DRY	DRY
6. Gangetic West Bengal	DRY	DRY	DRY	DRY	DRY
7. Odisha	DRY	DRY	DRY	DRY	DRY
8. Jharkhand	DRY	DRY	DRY	DRY	DRY
9. Bihar	DRY	DRY	DRY	DRY	DRY
10. East Uttar Pradesh	DRY	DRY	DRY	DRY	DRY
11. West Uttar Pradesh	DRY	DRY	DRY	DRY	DRY
12. Uttarakhand	DRY	DRY	DRY	DRY	DRY
13. Haryana, Chd & Delhi	DRY	DRY	DRY	DRY	DRY
14. Punjab	DRY	DRY	DRY	DRY	DRY
15. Himachal Pradesh	ISOL	DRY	DRY	SCT	SCT
16. Jammu & Kashmir	SCT	ISOL	ISOL	FWS	FWS
17. West Rajsthan	DRY	DRY	DRY	DRY	DRY
18. East Rajasthan	DRY	DRY	DRY	DRY	DRY
19. West Madhya Pradesh	DRY	DRY	DRY	DRY	DRY
20. East Madhya Pradesh	DRY	DRY	DRY	DRY	DRY
21. Gujarat Region	DRY	DRY	DRY	DRY	DRY
22. Saurashtra & Kutch	DRY	DRY	DRY	DRY	DRY
23. Konkan & Goa	DRY	DRY	DRY	DRY	DRY
24. Madhya Maharashtra	DRY	DRY	DRY	DRY	DRY
25. Marathawada	DRY	DRY	DRY	DRY	DRY
26. Vidharbha	DRY	DRY	DRY	DRY	DRY
27. Chhattisgarh	DRY	DRY	DRY	DRY	DRY
28. Coastal Andhra Pradesh	DRY	DRY	DRY	DRY	DRY
29. Telangana	DRY	DRY	DRY	DRY	DRY
30. Rayalaseema	DRY	DRY	DRY	DRY	DRY
31. Tamilnadu & Puducherry	ISOL	DRY	DRY	DRY	DRY
32. Coastal Karnataka	DRY	DRY	DRY	DRY	DRY
33. North Interior Karnataka	DRY	DRY	DRY	DRY	DRY
34. South Interior Karnataka	DRY	DRY	DRY	DRY	DRY
35. Kerala	ISOL	DRY	DRY	DRY	DRY
36. Lakshadweep	ISOL	DRY	DRY	DRY	DRY

% Station Reporting Rainfall

% Stations	Category	% Stations	Category
76-100	Widespread (WS/ Most Places)	26-50	Scattered (SCT/ A Few Places)
51-75	Fairly Widespred (FWS/ Many Places)	1-25	Isolated (ISOL)
No Rain	Dry		


2. Reservoir Status (For the week ending on 25.01.2017)

- The Central Water Commission monitors the live storage of **91** important/major reservoirs, having capacity at Full Reservoir Level (FRL) of **157.80** billion cubic meters (BCM), which is about 62% of total reservoir capacity in the country.
- Water stock in 91 major reservoirs **decreased** to 80.60 BCM from the previous week's level of 82.92 BCM. Current storage is higher than the last year's position of 63.47 BCM and lower than the average of last 10 year's storage of 80.71 BCM.

Table – 2.1 : For 91 major reservoirs of the country

Period	Storage as % of FRL	Storage as % of last year	Storage as % of 10 year's average level
Current Week	51	127	100
Last Week	53	126	99
The percentage to live capacity at FRL was 40% on 25/01/2016, 51% on 25/01/2015, 61% on 25/01/2014 and 49% on 25/01/2013.			
<i>Source: CWC</i>			

There were 57 reservoirs having storage more than 80% of normal storage, 16 reservoirs having storage between 50% to 80%, 05 reservoir having storage between 30% to 50%, 13 reservoirs having storage upto 30% of Normal Storage.



Source: Central Water Commission

3. Fertilizer Position:

Table – 3.1: Requirement, Availability, Sales and Stock position of Major Fertilizers Urea, DAP, MOP, Complex and SSP during Rabi 2016-17 (As on 27.01.2017)

(in '000 Tonnes)

Availability / Sale / Closing Stock	Urea	DAP	MOP	Complex	SSP
Opening Stock as on 01.10.2016	1509	1308	231	1056	212
Requirement for Rabi, 2016-17	14568	4973	1703	4961	3338
Requirement upto January, 2017	2589	606	283	793	543
Availability upto 27.01.2017	11452	4075	1248	3718	1427
Sales upto 27.01.2017	9272	2793	897	2242	1125
Closing Stock upto 27.01.2017	2180	1282	351	1477	302

Source: Fertilizer Division (DAC&FW) / Deptt. of Fertilizer

4. Pest & Diseases:

- Incidence of Yellow rust on Wheat crop has been reported in **trace** intensity in few places in Kangra district of Himachal Pradesh.
- Incidence of Yellow rust on Wheat crop has been reported in **trace to low** intensity in few places in Ropar, Gurdaspur and Pathankot districts of Punjab State. Covering area is 15 Acres. The crop is at tillering to panicle initiation stage.
- Incidence of new exotic, invasive and destructive pest, Rugose spiralling whitefly (RSW), *Aleurodicus rugioeperculatus* Martin, on Coconut palm reported by ICAR-NBARI, Bangalore, in Pollachi, Coimbatore, and Anaimalai Tamil Nadu, State. The infestation has been reported in moderate intensity covering 3000 to 4000 ha.area.
- Incidence of new exotic, invasive and destructive pest, Rugose spiralling whitefly (RSW), *Aleurodicus rugioeperculatus* Martin on Coconut crop has been reported in **trace to moderate** intensity in Kolinjeparai block of Palakkad district of Kerala state.
- No shortage of Chemical / Bio-pesticides was reported from any State / UT.

5. All India Crop Situation

Table-5.1

All India Crop Situation - Rabi (2016-17) as on 27.01.2017									
Crop Name	Normal Area	Average Area as on date	Area sown			Absolute Change over (+/-)		(Area in lakh hectares)	
			This Year	% of Normal	Last Year	% Change over			
						Average as on date	Last Year	Average as on date	Last Year
Wheat	301.74	301.53	315.55	104.6	292.52	14.0	23.0	4.6	7.9
Rice	43.07	25.15	21.77	50.5	25.64	-3.4	-3.9	-13.4	-15.1
Jowar	38.26	36.21	32.09	83.9	37.30	-4.1	-5.2	-11.4	-14.0
Maize	15.02	14.21	15.96	106.3	14.49	1.8	1.5	12.3	10.1
Barley	6.85	7.41	8.16	119.1	7.59	0.8	0.6	10.1	7.5
Total Coarse Cereals	60.13	58.71	56.90	94.6	60.24	-1.8	-3.3	-3.1	-5.5
Total Cereals	404.94	385.39	394.22	97.4	378.40	8.8	15.8	2.3	4.2
Gram	88.37	91.35	98.82	111.8	89.23	7.5	9.6	8.2	10.7
Lentil	14.79	14.92	16.64	112.5	13.68	1.7	3.0	11.5	21.6
Peas	8.37	10.35	11.25	134.5	9.58	0.9	1.7	8.7	17.4
Kulthi(Horse Gram)	2.22	4.77	3.77	170.1	4.24	-1.0	-0.5	-21.0	-11.1
Urad	7.54	7.47	8.62	114.3	7.94	1.2	0.7	15.4	8.6
Moong	8.65	5.44	6.36	73.6	6.05	0.9	0.3	16.9	5.1
Lathyrus	4.95	4.10	4.27	86.2	3.91	0.2	0.4	4.1	9.2
Others	3.32	8.34	9.54	287.5	8.41	1.2	1.1	14.4	13.4
Total Pulses	138.19	146.74	159.28	115.3	143.05	12.5	16.2	8.5	11.3
Total Foodgrains	543.13	532.13	553.50	101.9	521.45	21.4	32.1	4.0	6.1
Rapeseed & Mustard	63.20	66.91	70.54	111.6	64.51	3.6	6.0	5.4	9.4
Groundnut	8.46	6.84	5.70	67.4	5.44	-1.1	0.3	-16.6	4.9
Safflower	2.06	1.52	0.95	46.1	1.17	-0.6	-0.2	-37.5	-18.5
Sunflower	4.90	3.86	1.66	33.9	3.08	-2.2	-1.4	-57.0	-46.0
Sesamum	3.01	0.74	0.57	18.9	0.53	-0.2	0.0	-22.4	7.5
Linseed	3.11	3.45	3.84	123.4	2.93	0.4	0.9	11.3	31.3
Others		0.75	0.58	#DIV/0!	0.92	-0.2	-0.3	-22.7	-36.6
Total Oilseeds (Nine)	84.74	84.07	83.84	98.9	78.58	-0.2	5.3	-0.3	6.7
All- Crops	627.87	616.19	637.34	101.5	600.02	21.2	37.3	3.4	6.2

Source: Crops & TMOP Divisions, DAC&FW

6. Progressive procurement of Kharif Rice as on 27.01.2017 (lakh tonnes)

Table: 6.1

State	Total procurement in marketing season 2015-16 (Oct. – Sept.)	Progressive Procurement as on 27.01.2017	
		In Marketing season 2016-2017	In Marketing season 2015-2016
Andhra Pradesh	43.36	16.58	17.58
Telangana	15.79	10.85	9.84
Chhattisgarh	34.42	42.81	37.87
Haryana	28.61	35.70	28.61
Kerala	3.82	1.28	1.13
Madhya Pradesh	8.49	12.21	7.60
Maharashtra	2.30	1.74	1.02
Odisha	33.69	13.09	12.33
Punjab	93.50	110.44	93.49
Tamil Nadu	11.92	0.09	0.90
Uttar Pradesh	29.10	12.75	17.39
Uttrakhand	5.98	5.00	5.18
West Bengal	15.68	1.14	1.70
All-India	342.18	265.74	235.21